

14306

Clast-rich Impact Breccia

584 grams

DRAFT



Figure 1: Sawn surface of 14306,21. NASA S77-22103. Sample is about 6 cm across.

Introduction

Lunar sample 14306 is a clast-rich, crystalline matrix breccia from Station G, Apollo 14 (about 3 crater diameters of Cone Crater). The crystalline matrix breccias from Apollo 14 are thought to be from the Fra Mauro Formation, which was recognized as ejecta from the giant Imbrium Basin (Gilbert 1895).

14306 was photographed on the lunar surface and has been oriented (Swann et al. 1970). It was partially buried. It is somewhat rounded and has micrometeorite craters on most surfaces. There is a prominent vein of black glass, probably produced by the last impact. The saw cuts revealed a nice clastic texture (figure 1).



Figure 2: Photo of 14306 showing end with black glass vein. NASA S71-29199.



Figure 3: Photo of 14306 S, showing numerous micrometeorite craters. NASA S71-29197.

Anderson et al. (1972) describe 14306 as a “multi generation breccia”. Interior clasts are also clastic in nature, indicating that there may have been earlier breccia-forming events.

The cosmic-ray exposure age is 25 m.y., which is thought to be the age of Cone Crater. There are more micrometeorite craters per unit area on 14306 than just about any other lunar sample (Neukum et al.1973).

Norite clasts in 14306 were dated by ion microprobe to be 4.2 b.y. old.

Petrography

Simonds et al. (1977) noted that 14306 has little matrix, but that it was made of plentiful clasts (>50%) of crystalline matrix breccia.

Wosinski et al. (1972) studied the glass vein that penetrates 14306.




Figure 4: Thin section photomicrograph of 14306,53. Field of view about 3 cm. NASA S71-40450.

Significant Clasts

Ferroan Anorthosite ,71 ,72

Shervais et al. (1983) reported mineral modes and compositions for this small anorthosite clast found only in thin section (figure 5). It is 90% plagioclase (An_{98}), with pyroxene (En_{67}) and minor olivine (Fo_{70}) and augite.

Norite Clast ,63 ,65

Meyer et al. (1989) and Nemchin et al. (2008) reported a norite clast with zircons in 14306. The norite is fractured and broken but all the minerals within the clast have chemical compositions that are consistent with one rock (monomic breccia).

Mineralogy

Meyer et al. (1989) and Nemchin et al. (2008) studied several zircons in the norite clasts in 14306. This is one of the few cases where zircons are still attached to their mineral assemblage.




Figure 5: Plagioclase and pyroxene analysis of ferroan anorthosite clast in 14306.

Chemistry

Taylor et al. (1972), Wiik et al. (1973) determined the composition (figures 6 and 8). Ganapathy et al. (1974) discuss the trace element composition of 14306.




Figure 6: Chemical composition of Apollo 14 breccias comparing the vitric matrix and crystalline matrix breccias.




Figure 8: Normalized rare-earth-element content of 14306 compared with KREEP.




Figure 7: Diagram used by Simonds et al. (1977) to describe nature of Apollo 14 breccias.

Processing

14306 was studied in “consortia mode” led by E. Anders. A thick slice (,22) was cut from the center of 14306, yielding two large butt ends (,21 and ,23). There are 27 thin sections for 14306, some are cut orthogonal to the others. Note that there is a thin slice (,26) immediately adjacent to the set of thin sections produced from (,27).

Radiogenic age dating

The breccia event represented by 14306 has not been dated (probably 3.9 b.y., by analogy to other Apollo 14 breccias). Norite clast were dated by ion probe (Nemchin et al. 2008).

Cosmogenic isotopes and exposure ages

Crozaz et al. (1972) and Drozd et al. (1974) reported a cosmic ray exposure age of 25 ± 2 m.y. determined by ^{81}Kr , supporting the idea that Cone Crater is this age.

Other Studies

Micrometeorite craters on 14306 were studied by Morrison et al. (1972). Neukum et al. (1973) found that 14306 had a higher density of micrometeorites than other rocks (figure 12).

Summary of Age Data for 14306

Author	Age (m.y.)
Nemchin et al. 2008	Pb/Pb zircon
	4192 ± 6
	4211 ± 7
	4205 ± 6
	4202 ± 12
	4185 ± 57
	4200 ± 6
	4205 ± 7





Figure 9: Photo of model of 14306 showing thick slab cut from middle. NASA S78-26756.






Figure 10: Processing photo of 14306 after slab was cut. Note the black glass vein. NASA S71-36707.




Figure 11: Processing photo of ,24 D (top of 14306 slab ,22). Numerous thin section were made for the two mini-slices shown (,29 and ,27). Scale is in cm. NASA S71-37288. (photo is from the opposite direction of figures) Cuts were made with wire saw.





Figure 12: Highest areal density of microcraters on lunar rocks reported by various investigators (from Neukum et al. 1973).



*Figure 13: Photo of 14306 showing the black glass vein
(photo number missing).*



Figure 14: Photo of 14306 showing large zap pit. Cube is 1 inch, for scale. Photo number ?

References for 14306

- Anderson A.T., Braziunas T.F., Jacoby J. and Smith J.V. (1972) Thermal and mechanical history of breccias 14306, 14063, 14270 and 14321. *Proc. 3rd Lunar Sci. Conf.* 819-835.
- Carlson I.C. and Walton W.J.A. (1978) **Apollo 14 Rock Samples**. Curators Office. JSC 14240
- Cisowski S.M., Collinson D.W., Runcom S.K., Stephenson A. and Fuller M. (1983) A review of lunar paleointensity data and implications for the origin of lunar magnetism. *Proc. 13th Lunar Planet. Sci. Conf.* A691-A704.
- Chao E.C.T., Minkin J.A. and Best J.B. (1972) Apollo 14 breccias: General characteristics and classification. *Proc. 3rd Lunar Sci. Conf.* 645-659.
- Clayton R.N., Hurd J.M. and Mayeda T.K. (1972) Oxygen isotopic compositions and oxygen concentrations of Apollo 14 and Apollo 15 rocks and soils. *Proc. 3rd Lunar Sci. Conf.* 1455-1463.
- Collinson D.W., Runcorn S.K., Stephenson A. and Manson A.J. (1972) Magnetic properties of Apollo 14 rocks and fines. *Proc. 3rd Lunar Sci. Conf.* 2343-2361.
- Crozaz G., Drozd R., Hohenberg C.M., Hoyt H.P., Rajan D., Walker R.M. and Yuhas D. (1972) Solar flare and galactic cosmic ray studies of Apollo, 14 and 15 samples. *Proc. 3rd Lunar Sci. Conf.* 2917-2931.
- Drozd R.J., Hohenberg C.M., Morgan C.J. and Ralston C.E. (1974) Cosmic-ray exposure history at the Apollo 16 and other lunar sites: lunar surface dynamics. *Geochim. Cosmochim. Acta* **38**, 1625-1642.
- Friel J.J. and Goldstein J.I. (1977) The relationship between lunar metal particles and phosphate minerals. *Proc. 8th Lunar Sci. Conf.* 3955-3965.
- Ganapathy R., Morgan J.W., Krahenbuhl U. and Anders E. (1973) Ancient meteoritic components in lunar highland rocks: Clues from trace elements in Apollo 15 and 16 samples. *Proc. 4th Lunar Sci. Conf.* 1239-1261.
- Ganapathy R., Morgan J.W., Higuchi H., Anders E. and Anderson A.T. (1974) Meteoritic and volatile elements in Apollo 16 rocks and in separated phases from 14306. *Proc. 5th Lunar Sci. Conf.* 1659-1683.
- Gilbert G.K. (1893) The Moon's face – A study of the origin of its features. *Philos. Soc. Washington Bull.* **12**, 241-292.
- Hansen E.C., Steele I.M. and Smith J.V. (1979) Lunar highland rocks: Element partitioning among minerals I: Electron microprobe analyses of Na, Mg and Fe in plagioclase: mg partitioning with orthopyroxene. *Proc. 10th Lunar Sci. Conf.* 627-638.
- Hertogen J., Janssens M.-J., Takahashi H., Palme H. and Anders E. (1977) Lunar basins and craters: Evidence for systematic compositional changes of bombarding population. *Proc. 8th Lunar Sci. Conf.* 17-45.
- Hohenberg C.M., Marti K., Podosek F.A., Reedy R.C. and Shirck J.R. (1978) Comparison between observed and predicted cosmogenic noble gases in lunar samples. *Proc. 9th Lunar Sci. Conf.* 2311-2344.
- LSPET (1971) Preliminary examination of lunar samples from Apollo 14. *Science* **173**, 681-693.
- Meyer C., Williams I.S. and Compston W. (1989) Zircon-containing rock fragments within Apollo 14 breccias indicate serial magmatism from 4350 to 4000 million years (abs). In Workshop on Moon in Transition: Apollo 14, KREEP, and evolved lunar rocks. LPI Tech Rpt. 89-03, 75-78. Lunar Planet. Inst.
- Morrison D.A., McKay D.S., Heiken G.H. and Moore H.J. (1972) Microcraters on lunar rocks. *Proc. 3rd Lunar Sci. Conf.* 2767-2791.
- Nemchin A.A., Pidgeon R.T., Whitehouse M.J., Vaughan J.P. and Meyer C. (2007) SIMS study of zircons from Apollo 14 and 17 breccias: Implications for the evolution of lunar KREEP. *Geochim. Cosmochim. Acta* **72**, 668-689.
- Neukum G., Horz F., Morrison D.A. and Hartung J.B. (1973) Crater populations on lunar rocks. *Proc. 4th Lunar Sci. Conf.* 3255-3276.
- Quaide W. and Wrigley R. (1972) Mineralogy and origin of Fra Mauro fines and breccias. *Proc. 3rd Lunar Sci. Conf.* 771-784.
- Shervais J.W., Taylor L.A., and Laul J.C. (1983) Ancient crustal components in the Fra Mauro breccias. *Proc. 14th Lunar Planet. Sci. Conf.* B177-B192.
- Simonds C.H., Phinney W.C., Warner J.L., McGee P.E., Geeslin J., Brown R.W. and Rhodes J.M. (1977) Apollo 14 revisited, or breccias aren't so bad after all. *Proc. 8th Lunar Sci. Conf.* 1869-1893.
- Steele I.M., Hutcheon I.D. and Smith J.V. (1980) Ion microprobe analysis and petrogenetic interpretations of Li, Mg, Ti, K, Sr and Ba in lunar plagioclase. *Proc. 11th Lunar Planet. Sci. Conf.* 571-590.

Sutton R.L., Hait M.H. and Swann G.A. (1972) Geology of the Apollo 14 landing site. *Proc. 3rd Lunar Sci. Conf.* 27-38.

Swann G.A., Trask N.J., Hait M.H. and Sutton R.L. (1971a) Geologic setting of the Apollo 14 samples. *Science* **173**, 716-719.

Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., Reed V.S., Schaber G.G., Sutton R.L., Trask N.J., Ulrich G.E. and Wilshire H.G. (1977) Geology of the Apollo 14 landing site in the Fra Mauro Highlands. U.S.G.S. Prof. Paper 880.

Swann G.A., Bailey N.G., Batson R.M., Eggleton R.E., Hait M.H., Holt H.E., Larson K.B., McEwen M.C., Mitchell E.D., Schaber G.G., Schafer J.P., Shepard A.B., Sutton R.L., Trask N.J., Ulrich G.E., Wilshire H.G. and Wolfe E.W. (1972) 3. Preliminary Geologic Investigation of the Apollo 14 landing site. *In* Apollo 14 Preliminary Science Rpt. NASA SP-272. pages 39-85.

Taylor S.R., Kaye M., Muir P., Nance W., Rudowski R. and Ware N. (1972) Composition of the lunar uplands: Chemistry of Apollo 14 samples from Fra Mauro. *Proc. 3rd Lunar Sci. Conf.* 1231-1249.

Twedell D., Feight S., Carlson I. and Meyer C. (1978) **Lithologic maps of selected Apollo 14 breccia samples.** Curators Office. JSC 13842

von Engelhardt W. (1979) Ilmenite in the crystallization sequence of lunar rocks. *Proc. 10th Lunar Sci. Conf.* 677-694.

Warner J.L. (1972) Metamorphism of Apollo 14 breccias. *Proc. 3rd Lunar Sci. Conf.* 623-643.

Warren P.H. (1993) A concise compilation of petrologic information on possibly pristine nonmare Moon rocks. *Am. Mineral.* **78**, 360-376.

Wiik H.B., Maxwell J.A. and Bouvier J.-L. (1973) Chemical composition of some Apollo 14 lunar samples. *Earth Planet. Sci. Lett.* **17**, 365-368.

Williams R.J. (1972) The lithification of metamorphism of lunar breccias. *Earth Planet. Sci. Lett.* **16**, 250-256.

Wilshire H.G. and Jackson E.D. (1972) Petrology and stratigraphy of the Fra Mauro Formation at the Apollo 14 site. U.S. Geol. Survey Prof. Paper 785.

Wosinski J.F., Williams J.P., Korda E.J., Kane W.T., Carrier G.B. and Schreurs J.W.H. (1972) Inclusions and interface relationships between glass and breccia in lunar sample 14306,50. *Proc. 3rd Lunar Sci. Conf.* 853-864.